

CERTIFICATE

Certificate holder	Sweillem Vitrified Clay Pipes Co. 6, El Saad Street, Khalafawi Square Cairo EGYPT
Production facility	Cairo
Product	Socketed pipes
Nominal diameter	DN 150 mm up to 800 mm
Testing basis	DIN EN 295-1:2013-05 Certification Scheme WN 295 Glazed vitrified clay pipes, fittings and their accessories for drains and sewers (2016-01)
Mark of conformity	
Registration No.	P1S045
Valid until	2026-10-31
Right of use	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number. See annex for further information.

ANNEX

Page 1 of 1

Certificate	P1S045 dated 2021-09-22
Technical Data	Pipes N: Nominal size(s): DN 150 F, 200 F, 200 C, 250 C, 300 C, 350 C, 400 C, 450 C, 500 C, 600 C, 700 C, 800 C Pipes H: Nominal size(s): DN 200 C, 250 C, 300 C, 350 C, 400 C, 450 C, 500 C, 600 C, 700 C
Testing laboratory/ Inspection body	MPA Nordrhein-Westfalen Kunststoffe und Elastomere Marsbruchstraße 186 44287 Dortmund GERMANY
Test report(s)	210001706-13-01-U-01-d dated 2013-03-05 210001706-13-01-U-02-d dated 2013-03-05 210001706-13-01-U-03-d dated 2013-03-05 210001706-13-01-U-04-d dated 2013-03-05 210001706-13-01-U-05-d dated 2013-03-05 210001706-13-01-U-06-d dated 2013-03-05 210001706-13-01-U-07-d dated 2013-03-05 210001706-13-01-U-08-d dated 2013-03-05 210001706-13-01-J-F dated 2013-04-04 210001706-13-01-J-C dated 2013-04-04 220010542-16-01-01-d-U dated 2016-09-30 220010542-16-01-05-d-U dated 2016-09-30 220010542-16-01-1-S dated 2016-09-30 220010542-18-02-01-d-U dated 2018-10-22 220010542-19-02-01-U dated 2020-02-27 220010542-19-02-02-U dated 2020-02-27 220010542-19-02-03-U dated 2020-02-27



CERTIFICATE

Certificate holder	Sweillem Vitrified Clay Pipes Co. 6, El Saad Street, Khalafawi Square Cairo EGYPT
Production facility	Cairo
Product	Special fittings
Nominal diameter	DN 150 mm up to 700 mm
Testing basis	DIN EN 295-4:2013-05 Certification Scheme WN 295 Glazed vitrified clay pipes, fittings and their accessories for drains and sewers (2016-01)
Mark of conformity	
Registration No.	P1S047
Valid until	2026-10-31
Right of use	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number. See annex for further information.

ANNEX

Page 1 of 1

Certificate

P1S047 dated 2021-09-22

Technical Data

Connectors (GZ, GA, GE, GM) N:

Nominal size(s): DN/OD 150 F, 200 F, 200 C, 250 C, 300 C, 350 C, 400 C, 450 C, 500 C, 600 C, 700 C

Connectors (GZ, GA, GE, GM) H:

Nominal size(s): DN/OD 200 C, 250 C, 300 C, 350 C, 400 C, 450 C, 500 C, 600 C, 700 C

Testing laboratory/ Inspection body

MPA Nordrhein-Westfalen
Kunststoffe und Elastomere
Marsbruchstraße 186
44287 Dortmund
GERMANY

Test report(s)

210001706-13-01-U-01-d dated 2013-03-05
210001706-13-01-U-02-d dated 2013-03-05
210001706-13-01-U-03-d dated 2013-03-05
210001706-13-01-U-04-d dated 2013-03-05
210001706-13-01-U-05-d dated 2013-03-05
210001706-13-01-U-06-d dated 2013-03-05
210001706-13-01-U-07-d dated 2013-03-05
210001706-13-01-U-08-d dated 2013-03-05
210001706-13-01-J-F dated 2013-04-04
210001706-13-01-J-C dated 2013-04-04

220010542-16-01-09-d-U dated 2016-09-30
220010542-16-01-1-S dated 2016-09-30

2200010542-19-02-05-U dated 2020-02-27



CERTIFICATE

Certificate holder	Sweillem Vitrified Clay Pipes Co. 6, El Saad Street, Khalafawi Square Cairo EGYPT
Production facility	Cairo
Product	Fittings
Nominal diameter	DN 150 mm up to 700 mm
Testing basis	DIN EN 295-1:2013-05 Certification Scheme WN 295 Glazed vitrified clay pipes, fittings and their accessories for drains and sewers (2016-01)
Mark of conformity	
Registration No.	P1S046
Valid until	2026-10-31
Right of use	This certificate entitles the holder to use the mark of conformity shown above in conjunction with the specified registration number. See annex for further information.

ANNEX

Page 1 of 1

Certificate

P1S046 dated 2021-09-22

Technical Data

Bends N:

Nominal size(s): DN 150 F, 200 F, 200 C, 250 C, 300 C

Bends H:

Nominal size(s): DN 200 C, 250 C, 300 C

Junctions N:

Nominal size(s): DN 150 F, 200 F, 200 C, 250 C, 300 C, 350 C, 400 C, 450 C, 500 C, 600 C

Junctions H:

Nominal size(s): DN 200 C, 250 C, 300 C, 350 C, 400 C, 450 C, 500 C, 600 C

Testing laboratory/ Inspection body

MPA Nordrhein-Westfalen
Kunststoffe und Elastomere
Marsbruchstraße 186
44287 Dortmund
GERMANY

Test report(s)

210001706-13-01-U-10-d dated 2013-03-05
210001706-13-01-U-11-d dated 2013-03-05
210001706-13-01-J-F dated 2013-04-04
210001706-13-01-J-C dated 2013-04-04

220010542-16-01-06-d-U dated 2016-09-30
220010542-16-01-08-d-U dated 2016-09-30
220010542-16-01-1-S dated 2016-09-30

220010542-19-02-04-U dated 2020-02-27

